

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ab: Albaton-----	90	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Depth to saturated zone	1.00	Ponding	1.00	Flooding	1.00
		Frost action	1.00	Flooding	0.80	Depth to saturated zone	1.00
		Flooding	1.00	Too clayey	0.72	Ponding	1.00
		Low strength	1.00	Cutbanks cave	0.10		
Bb: Bigbend-----	95	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
		Flooding	0.40				
Bf: Bigbend-----	95	Very limited Flooding	1.00	Somewhat limited Flooding	0.80	Very limited Flooding	1.00
		Frost action	0.50	Cutbanks cave	0.10		
Bg: Bigbend-----	95	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
		Flooding	0.40				
Bh: Bigbend-----	95	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
		Flooding	0.40				
Bi: Bigbend-----	50	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
		Flooding	0.40				
Inavale-----	40	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.22
Bu: Bullcreek-----	90	Very limited Shrink-swell	1.00	Very limited Too clayey	1.00	Very limited Too clayey	1.00
		Low strength	1.00	Cutbanks cave	1.00	Sodium content	1.00
Bx: Bullcreek-----	60	Very limited Shrink-swell	1.00	Very limited Too clayey	1.00	Very limited Too clayey	1.00
		Low strength	1.00	Cutbanks cave	1.00	Sodium content	1.00

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Slickspots, Dry-----	30	Not rated		Not rated		Not rated	
CpA: Capa-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Depth to saturated zone Cutbanks cave	1.00 0.47 0.10	Very limited Sodium content	1.00
Hb: Herdcamp-----	60	Very limited Shrink-swell  Depth to saturated zone Frost action Flooding Low strength	1.00  1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding  Too clayey Cutbanks cave	1.00  0.80 0.18 0.10	Very limited Flooding  Depth to saturated zone Too clayey	1.00  1.00 1.00
Bullcreek-----	35	Very limited Shrink-swell Low strength Flooding	1.00 1.00 0.40	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey Sodium content	1.00 1.00
Hg: Hilmoe-----	95	Very limited Low strength Shrink-swell Flooding	1.00 1.00 0.40	Somewhat limited Too clayey Cutbanks cave	0.28 0.10	Not limited	
Hm: Hilmoe-----	90	Very limited Shrink-swell Low strength Flooding	1.00 1.00 0.40	Somewhat limited Too clayey Cutbanks cave	0.28 0.10	Very limited Too clayey	1.00
Hn: Hilmoe-----	50	Very limited Shrink-swell Flooding Low strength	1.00 1.00 1.00	Somewhat limited Flooding Too clayey Cutbanks cave	0.60 0.28 0.10	Very limited Too clayey Flooding	1.00 0.60
Inavale-----	40	Very limited Flooding	1.00	Very limited Cutbanks cave Flooding	1.00 0.60	Somewhat limited Flooding Droughty	0.60 0.22

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ho: Hoven-----	95	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Ponding	1.00	Sodium content	1.00
		Low strength	1.00	Too clayey	0.28	Ponding	1.00
		Ponding	1.00	Cutbanks cave	0.10		
		Frost action	0.50				
In: Inavale-----	90	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.22
KeA: Kirley-----	95	Very limited Shrink-swell	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Low strength	1.00	Too clayey	0.03		
KeB: Kirley-----	95	Very limited Shrink-swell	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Low strength	1.00	Too clayey	0.03		
KeC: Kirley-----	90	Very limited Shrink-swell	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Low strength	1.00	Too clayey	0.03		
KeD: Kirley-----	90	Very limited Shrink-swell	1.00	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
		Low strength	1.00	Cutbanks cave	0.10		
		Slope	0.63	Too clayey	0.03		
KmB: Kirley-----	60	Very limited Shrink-swell	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Low strength	1.00	Too clayey	0.03		
Mosher-----	30	Very limited Shrink-swell	1.00	Somewhat limited Depth to saturated zone	0.61	Very limited Sodium content	1.00
		Low strength	1.00	Too clayey	0.28		
		Frost action	0.50	Cutbanks cave	0.10		

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KnB: Kirley-----	55	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
Vivian-----	35	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Gravel content Droughty	0.41 0.06
KnC: Kirley-----	50	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
Vivian-----	40	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Gravel content Droughty	0.41 0.06
KnD: Kirley-----	55	Very limited Shrink-swell Low strength Slope	1.00 1.00 0.63	Somewhat limited Slope Cutbanks cave Too clayey	0.63 0.10 0.03	Somewhat limited Slope	0.63
Vivian-----	30	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Gravel content Droughty	1.00 0.41 0.06
Ko: Kolls-----	95	Very limited Shrink-swell  Low strength  Depth to saturated zone Ponding Frost action	1.00  1.00  1.00 1.00 0.50	Very limited Depth to saturated zone Too clayey  Cutbanks cave  Ponding	1.00  1.00  1.00  1.00	Very limited Too clayey  Depth to saturated zone Ponding	1.00   1.00 1.00

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Kp: Kolls-----	95	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Depth to saturated zone	1.00	Too clayey	1.00	Depth to saturated zone	1.00
		Low strength	1.00	Cutbanks cave	1.00	Ponding	1.00
		Ponding	1.00	Ponding	1.00		
		Frost action	0.50				
LaB: Lakoma-----	95	Very limited Shrink-swell	1.00	Somewhat limited Too clayey	0.72	Very limited Too clayey	1.00
		Low strength	1.00	Depth to soft bedrock	0.42	Droughty	0.44
				Cutbanks cave	0.10	Depth to bedrock	0.42
LaC: Lakoma-----	85	Very limited Shrink-swell	1.00	Somewhat limited Too clayey	0.72	Very limited Too clayey	1.00
		Low strength	1.00	Depth to soft bedrock	0.42	Droughty	0.44
				Cutbanks cave	0.10	Depth to bedrock	0.42
LaD: Lakoma-----	80	Very limited Shrink-swell	1.00	Somewhat limited Too clayey	0.72	Very limited Too clayey	1.00
		Low strength	1.00	Slope	0.63	Slope	0.63
		Slope	0.63	Depth to soft bedrock	0.42	Droughty	0.44
				Cutbanks cave	0.10	Depth to bedrock	0.42
LkC: Lakoma-----	65	Very limited Shrink-swell	1.00	Somewhat limited Too clayey	0.72	Very limited Too clayey	1.00
		Low strength	1.00	Depth to soft bedrock	0.42	Droughty	0.44
				Cutbanks cave	0.10	Depth to bedrock	0.42
Kirley-----	30	Very limited Shrink-swell	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Low strength	1.00	Too clayey	0.03		

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LvE: Lakoma-----	55	Very limited Shrink-swell Low strength Slope	1.00 1.00 0.63	Somewhat limited Too clayey Slope Depth to soft bedrock Cutbanks cave	0.72 0.63 0.42 0.10	Very limited Too clayey Slope Droughty Depth to bedrock	1.00 0.63 0.44 0.42
Vivian-----	25	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Gravel content Droughty	1.00 0.41 0.06
MLA: Millboro-----	95	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Too clayey Cutbanks cave	0.72 0.10	Not limited	
MLB: Millboro-----	95	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Too clayey Cutbanks cave	0.72 0.10	Not limited	
MLC: Millboro-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Too clayey Cutbanks cave	0.72 0.10	Not limited	
Mo: Mosher-----	90	Very limited Shrink-swell  Low strength Frost action	1.00  1.00 0.50	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave	0.61  0.28 0.10	Very limited Sodium content	1.00
Mp: Mosher-----	65	Very limited Shrink-swell  Low strength Frost action	1.00  1.00 0.50	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave	0.61  0.28 0.10	Very limited Sodium content	1.00
Capa-----	25	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Depth to saturated zone Cutbanks cave	1.00 0.47 0.10	Very limited Sodium content	1.00

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Nb: Nimbro-----	95	Very limited Low strength Shrink-swell Frost action Flooding	1.00 0.50 0.50 0.40	Somewhat limited Cutbanks cave	0.10	Not limited	
Nc: Nimbro-----	95	Very limited Flooding Low strength  Shrink-swell Frost action	1.00 1.00  0.50 0.50	Somewhat limited Flooding Depth to saturated zone Cutbanks cave	0.80 0.47  0.10	Very limited Flooding	1.00
OaF: Okaton-----	90	Very limited Shrink-swell  Slope Depth to soft bedrock Low strength	1.00  1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Too clayey Cutbanks cave	1.00 1.00 0.72 0.10	Very limited Too clayey  Depth to bedrock Slope Droughty	1.00  1.00 1.00 1.00
ObE: Okaton-----	50	Very limited Shrink-swell  Slope Depth to soft bedrock Low strength	1.00  1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Too clayey Cutbanks cave	1.00 1.00 0.72 0.10	Very limited Too clayey  Depth to bedrock Slope Droughty	1.00  1.00 1.00 1.00
Lakoma-----	40	Very limited Shrink-swell Slope Low strength	1.00 1.00 1.00	Very limited Slope Too clayey Depth to soft bedrock Cutbanks cave	1.00 0.72 0.42 0.10	Very limited Too clayey Slope Droughty Depth to bedrock	1.00 1.00 0.44 0.42
OkE: Okaton-----	45	Very limited Shrink-swell  Depth to soft bedrock Low strength Slope	1.00  1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Too clayey Cutbanks cave	1.00 1.00 0.72 0.10	Very limited Too clayey  Depth to bedrock Slope Droughty	1.00  1.00 1.00 1.00

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bullcreek-----	20	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey Sodium content	1.00 1.00
Wendte-----	20	Very limited Shrink-swell Flooding Low strength	1.00 1.00 1.00	Somewhat limited Flooding Too clayey Depth to saturated zone Cutbanks cave	0.60 0.50 0.47 0.10	Very limited Too clayey Flooding	1.00 0.60
OlB: Opal-----	95	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Somewhat limited Depth to bedrock Droughty	0.42 0.12
OlC: Opal-----	95	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Somewhat limited Depth to bedrock Droughty	0.42 0.12
OlD: Opal-----	85	Very limited Shrink-swell Low strength Slope	1.00 1.00 0.37	Very limited Cutbanks cave Too clayey Depth to soft bedrock Slope	1.00 0.88 0.42 0.37	Somewhat limited Depth to bedrock Slope Droughty	0.42 0.37 0.12
OpA: Opal-----	95	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Very limited Too clayey Depth to bedrock Droughty	1.00 0.42 0.22
OpB: Opal-----	95	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Very limited Too clayey Depth to bedrock Droughty	1.00 0.42 0.22



Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OpC: Opal-----	95	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Very limited Too clayey Depth to bedrock Droughty	1.00 0.42 0.22
OpD: Opal-----	85	Very limited Shrink-swell Low strength Slope	1.00 1.00 0.37	Very limited Cutbanks cave Too clayey Depth to soft bedrock Slope	1.00 0.88 0.42 0.37	Very limited Too clayey Depth to bedrock Slope Droughty	1.00 0.42 0.37 0.22
Ot: Orthents, Gravelly--	95	Very limited Depth to soft bedrock Low strength Slope	1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Cutbanks cave	1.00 1.00 0.10	Very limited Depth to bedrock Droughty Slope Gravel content	1.00 1.00 1.00 0.41
PrA: Promise-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00
PrB: Promise-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00
PrC: Promise-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00
PsA: Promise-----	50	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00
Bullcreek-----	35	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey Sodium content	1.00 1.00

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PtA: Promise-----	45	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00
Bullcreek-----	35	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey Sodium content	1.00 1.00
Kolls-----	15	Very limited Shrink-swell  Low strength  Depth to saturated zone Ponding Frost action	1.00 1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Too clayey Cutbanks cave Ponding	1.00 1.00 1.00 1.00 1.00	Very limited Too clayey  Depth to saturated zone Ponding	1.00 1.00 1.00
Pu: Promise-----	60	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00
Capa-----	30	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Depth to saturated zone Cutbanks cave	1.00 0.47 0.10	Very limited Sodium content	1.00
ReA: Ree-----	95	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
ReB: Ree-----	90	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
ReC: Ree-----	90	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaE: Sansarc-----	90	Very limited Shrink-swell	1.00	Very limited Depth to soft bedrock	1.00	Very limited Too clayey	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to soft bedrock	1.00	Too clayey	1.00	Slope	1.00
		Low strength	1.00	Cutbanks cave	0.10	Droughty	1.00
SoE: Sansarc-----	55	Very limited Shrink-swell	1.00	Very limited Depth to soft bedrock	1.00	Very limited Too clayey	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to soft bedrock	1.00	Too clayey	1.00	Slope	1.00
		Low strength	1.00	Cutbanks cave	0.10	Droughty	1.00
Opal-----	35	Very limited Shrink-swell	1.00	Very limited Cutbanks cave	1.00	Very limited Too clayey	1.00
		Low strength	1.00	Slope	1.00	Slope	1.00
		Slope	1.00	Too clayey	0.88	Depth to bedrock	0.42
				Depth to soft bedrock	0.42	Droughty	0.22
SrE: Sansarc-----	55	Very limited Shrink-swell	1.00	Very limited Depth to soft bedrock	1.00	Very limited Too clayey	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to soft bedrock	1.00	Too clayey	1.00	Slope	1.00
		Low strength	1.00	Cutbanks cave	0.10	Droughty	1.00
Rock Outcrop, Soft--	35	Not rated		Not rated		Not rated	

Section II  
Soil and Site Information

Building Site Development  
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SvE: Sansarc-----	60	Very limited Shrink-swell	1.00	Very limited Depth to soft bedrock	1.00	Very limited Too clayey	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to soft bedrock	1.00	Too clayey	1.00	Slope	1.00
		Low strength	1.00	Cutbanks cave	0.10	Droughty	1.00
Vivian-----	30	Very limited Slope	1.00	Very limited Cutbanks cave	1.00	Very limited Slope	1.00
				Slope	1.00	Gravel content	0.41
						Droughty	0.06
W: Water-----	100	Not rated		Not rated		Not rated	
Wc: Wendte-----	90	Very limited Shrink-swell	1.00	Somewhat limited Too clayey	0.50	Very limited Too clayey	1.00
		Low strength	1.00	Depth to saturated zone	0.47		
		Flooding	0.40	Cutbanks cave	0.10		
Wd: Wendte-----	90	Very limited Shrink-swell	1.00	Somewhat limited Flooding	0.60	Very limited Too clayey	1.00
		Flooding	1.00	Too clayey	0.50	Flooding	0.60
		Low strength	1.00	Depth to saturated zone	0.47		
				Cutbanks cave	0.10		
Wt: Witten-----	95	Very limited Shrink-swell	1.00	Somewhat limited Too clayey	0.88	Very limited Too clayey	1.00
		Low strength	1.00	Depth to saturated zone	0.47		
		Frost action	0.50	Cutbanks cave	0.10		